

## 5227000


## Single Band | Shrouded Yagi Antenna | V-Pol or H-Pol | 28° | 16.1 dBi


- Single band, shrouded yagi antenna, vertically or horizontally polarized
- For SHF links in the 1.4 GHz band

Please order mounting bracket separately.

- All elements enclosed in a weather resistant glassfibre shroud
- Consistent, reliable performance in all weather conditions

Electrical Characte	eristics				
Frequency Band		1350-1517 MHz			
Polarization		Vertical or Horizontal			
Horizontal Beamwidth		28°			
Vertical Beamwidth		26°			
Gain		14.0 dBd / 16.1 dBi			
VSWR		< 1.3:1			
Impedance		50Ω			
Front-to-Back Ratio (typical)		> 25 dB			
Input Power (maximum)		100 W			
Connector type		(1x) N Female			
Lightning Protection		DC Ground			
Mechanical Charac	cteristics				
Materials	Shroud	GRP			
	Radiating Assembly	Aluminium			
	Mounting Section	Aluminium, 50 mm diameter			
Dimensions (Length x Diameter)		1300 x Ø109	mm	51.2 x Ø4.3	in
Weight without Brackets		3.0	kg	6.6	lbs
Wind Load (160 km/hr or 100 mph)		150	N	33.7	lbf
Mounting Charact	eristics				
Mounting Bracket		3202078/68			
Alternate Mounting Bracket		0300064/00 + U-Bolts to match mounting pipe diameter			





Quoted performance parameters are provided to offer typical, peak or range values only and may vary as a result of normal testing, manufacturing and operational conditions. Extreme operational conditions and/or stress on structural supports is beyond our control. Such conditions may result in damage to this product. Improvements to products may be made without notice.